
UNICUL AVAINATIONS



1963

Supporting You

2013

Welcome to the 2013 Unicol Catalogue

All standard items listed are available ex stock. Most can be ordered as complete assemblies – stands, trolleys, wall and ceiling mounts or in component form to select for your own requirements.

In addition to our standard products we offer an efficient service in the manufacture of one-off and custom made items and can turn round orders for these in a timely manner at prices which often compare favourably with standard products.



Established in 1963, UNICOL UK has an impressive array of manufacturing facilities, skilled design & engineering personnel with 50 years of experience serving the AV Industry.



UNICOL Deutschland GmbH was established 10 years ago and brings together European distribution, assembly, despatch, sales & support all under one roof.








Pages 28-31













Pages 32-33

Pages 32 - 33 – Special Projects, one-off & custom made items









Pages 34-35

Pages 34 - 35 – Housings, Security items, Screen Covers & Parts

How To Order

Call our sales or technical team direct or Email or order on line.

Standard products are available on an ex stock basis. Please state screen or projector make & model and colour choice (Non-standard colours available to special order). Our technical team are ready to help regarding the best choice of items to order or to advise on any project being considered.

Symbols

Screen Size: (typical size guide) 'Light' ultra slim screens or 'heavy' monitors will influence this guide.



Weight: (capacity) Maximum shown including any peripherals.



Colour: Standard colour (shown first) e.g. black standard, silver optional.



All our mounts have been designed to meet the BSI installation specification standard PAS122:2009

Warranty: All mechanical items have a 10 year design & manufacturing warranty. Electrical parts are covered by a 12 month return to base warranty.

Products and prices listed in this catalogue are correct at time of going to press (Issue 1 – Jan 2013). © Peter Ligertwood 2013.

info@unicol.de www.unicol.de 3

Axia Stands & Trolleys







- * Graceful and stylish design
- * Neat cable management
- * PZX screen mount included
- * Integrated 4-way power socket
- * High quality safety glass shelves
- * Video Conferencing options
- * Twin Screen units (Page 5)
- * Screen in portrait options
- * Ultra Heavy Duty Axias (Page 8)
- * Corporate colour options

Hi-Level Stands

Height to centre of screen 1500mm. Glass shelf optional extra.




AX15P Stand for up to 57" screen

AX16P Cabinet Base version
Internal dims of cabinet 480(w) x 400(d) x 160(h) cm

AX17P Stand for up to 70" screen Mast length 1500mm

 ${\it These products are the subject of UK and European design rights. Registered designs.}$



Distance from rear of mast to rear of unit (wall) 100mm









Lo-Level Stands

The quality option for showrooms, corporate lounges or hospitality seating areas.

Height to centre of screen 1000mm. Glass shelf AXGS included.


Order Code

AX10P Stand for up to 57" screen

AX12P Stand for up to 70" screen Mast length 1200mm

(Uses special base unit – not shown)





Distance from rear of mast to rear of unit (wall) 100mm



Lo-Level Trolleys

Mobile versions with braked wheel castors.

Height to centre of screen 1100mm. Glass shelf AXGS included.

Order Coa


AX10T Trolley version up to 57"

AX12T Trolley version up to 70" Mast length 1200mm

(Uses special base unit – not shown)







Distance from rear of mast to rear of unit (wall) 130mm

Axia Stands & Trolleys



Hi-Level Trolleys

Height to centre of screen 1600mm. Glass shelf optional extra.

AX15T Trolley version up to 57"


AX17T Trolley version up to 70"


Mast length 1500mm



AX15T AX15T

AX17T MAX





Distance from rear of mast to rear of unit (wall) 130mm



Video conferencing twin screen units


Available to accommodate different screen sizes. Each Axia version has a pair of PZW1 universal tilting screen mounts carried on the appropriate cross member. Video conferencing mount & glass shelf included.

Stand Versions **AXC15P21** Type2 - screens 32" - 37" **AXC15P31** Type3 - screens 42" - 47" **AXC15P41** Type4 - screens 50" - 57"

Trolley Versions Order Code **AXC15T21** Type2 - screens 32" - 37" **AXC15T31** Type3 - screens 42" - 47" **AXC15T41** Type4 - screens 50" - 57"

Please state make & model of screens to enable us to supply your correct Axia Twin unit.

- Call us for any advice or assistance required





Safety Glass Shelves

Available in 2 sizes, all are fully edge polished 8mm toughened glass to European Standard EN12150.

Use 1, 2 or 3 shelves on any Axia model.

Order Code

AXGS Shelf size 500w x 400d

AXWS Shelf size 780w x 390d

Metal shelf version

Order Code

Shelf size 500w x 400d AXS


Video Conferencing Mounts

Universal unit fits above screen. (Glass shelf recommended when fitting below screen)

- Call us for details of bespoke mounts.

Order Code

VCM Shelf size 340w x 260d VCMP1 For Pozimount



Avecta Stands & Trolleys



A flexible and adaptable stand system following Unicol's twin column design concept. Available in Hi & Lo, static or trolley versions for screens up to 57inch. Complete with PZX screen mount and metal shelf (glass optional).



Hi-Level Stand


Height to centre of screen adjustable from 110 to 1500mm complete with PZX universal screen mount and all metal shelf.


Order Code

AVHP

Other Avecta Versions

We also supply special Avecta stands and trolleys including Back to Back screen units, wall mounted or concealed base versions - Call us for details.





Distance of mast to wall 65mm





Hi-level Trolley

Height to centre of screen adjustable from 1250 to 1520mm complete with PZX universal screen mount and all metal shelf.

Order Code

AVHT







Lo-Level Stand

Height to centre of screen adjustable from 600 to 950mm. Comes with metal equipment shelf as standard.

Order Code

AVLP


Lo-Level Trolley (not illustrated)

Height to centre of screen adjustable from 750 to 1100m. Comes with metal equipment shelf as standard.


Order Code **AVLT**







Avecta Stands & Trolleys





Avecta Media Cabinets

These wheeled cabinets are free standing and available with a mast assembly and screen mount MK1, sold separately. They have rack mounting front and rear and optional shelving can be added.

Order Code


OVR5 500w x 700h x 500d AVR5 500w x 700h x 500d AVR2 500w x 700h x 700d

Accessories

Order Code

VR500 Shelf – 500mm deep **VR700** Shelf – 700mm deep

MK1 Mast & PZX screen mount





Metal Equipment Shelf


Height adjustable. Cable entry.

Order Code

AVP1 500w x 400d AVP2 550w x 450d AVP3 300w x 300d




400



Glass Equipment Shelf

Toughened glass to EN12150. Height adjustable. Cable entry.

AVGS 500w x 400d



Locking Cabinet

Height adjustable. Door conceals into roof. Useable top surface.

Order Code inside dimensions **AVLC** 500w x 140h x 400d





Axia Large Format Stands & Trolleys





Axia Titan - Screens 58" to 108"

Height to centre of screen 1500mm or 2000mm. Shelf not included

For Screens 58" to 70"

Order Code


AX20P2E 2000mm Stand version **AX20T2E** 2000mm Trolley Version


For Screens 71" to 90"

AX15P2H 1500mm Stand version **AX15T2H** 1500mm Trolley Version **AX20P2H** 2000mm Stand version **AX20T2H** 2000mm Trolley Version

For Screens 91" to 108"

AX15P2J 1500mm Stand version
AX15T2J 1500mm Trolley Version
AX20P2J 2000mm Stand version
AX20T2J 2000mm Trolley Version









Give your content that wow factor by connecting 4 displays together to make a huge screen. The Axia Titan multi-screen trolley can support multiple screens up to 57". (Uses 2 x cross members from Axia Twin screen range - Page 5)

Order Code

AXM20T21 PZX1 Spine Type 2
AXM20T31 PZX1 Spine Type 3
AXM20T41 PZX1 Spine Type4

Adjustable cross member sizes:

Type2: 800 – 1000 Type3: 1000 – 1200 Type4: 1200 – 1400

The Types refer to the length of mount support for different screen sizes



Axia Titan PowaLift – Screens 71" to 108"

Operated by hand held remote, this trolley can lift screens up to 108"(including touch overlay), from 1050 to 1550mm, centre of screen. Multiple screens can also be supported.

Order Code

AXL15T2H for screens 71 to 90" **AXL15T2J** for screens 91 to 108"

400kg MAX

Shown supporting 2 x 2 VideoWall and Touch overlay

This product is **(** € approved and **DDA** compliant

Parabella Large Format Stands





Parabella

- * Curved slim design
- * Allows generous height for screen displays
- Neat cable management within curved uprights
- * Glass shelf option
- * Power socket option
- * Screen Mount included from our wide range

These products are the subject of UK and European design rights. Registered design 3012116 Patent No. GB2401784

Hi-Level Stand

Height to centre of screen 1850mm. Glass shelf and 4-way power socket optional extras.


Order Code

PA2











Lo-Level Lectern


Height to centre of screen 1000mm.


Order Code

PA1












Safety Glass Shelf

This high quality shaped and fully edge polished 8mm shelf is toughened and conforms to EN12150.

Order Code

PARAGS1 for PA1 **PARAGS2** for PA2







4-Way Power Sockets

Choose from 2 types, UK style and Euro style.

Order Code

PARAES4B UK Style

PARAES4EB Euro Style

The inspirational stand system for exhibitions and conferences

VS1000 Stands & Trolleys



The VS1000 is regarded as the 'work horse' of our industry.

With their wide choice of interchangeable parts, easy assembly and sheer robustness, these units are the favoured choice of trade show, education, broadcast and AV users everywhere.

Accessories include glass or metal shelves, locking cabinets, video conferencing mounts and other items. Back to back versions available.

VS1000 Trolley

Height to centre of screen 1600mm. Glass or metal shelf optional extras.

Order Code

VSS-1500VSX2-VMSV


(Only for screens up to 32", VESA 100 x 200)

VSS-1500VSX2-PS2-PLW

(Standard model for screens up to 57")

VSS-1500VSX2-PS2-PLW2

(For screens up to 70")





VS1000 Stand

Height to centre of screen 1450mm. Glass or metal shelf optional extras. The stand versions come with hard wearing feet instead of castors, which can be retrofitted if required.

Order Code

VSX-1500VSX2-VMSV


(Only for screens up to 32", VESA 100 x 200)

VSX-1500VSX2-PS2-PLW

(Standard model for screens up to 57")

VSX-1500VSX2-PS2-PLW2

(For screens up to 70")





VS1000 'Takedown' Trolley

For exhibitors and mobile AV show providers. Supplied with columns that separate into 4 one metre sections for flight case or vehicle stowage.

These 2m high stands use PZW universal screen mounts.

Order Code

VSC1 Type

Type 1 (33"-57" screens)


VSC3

Type 3 (30"-40" screens)

CT20M Twin 2 part 2m columns

(Not for ceiling suspension applications)

A complete system for exhibitions that can fit into a flight case – screen, universal mount, stand or trolley and even items to suspend your screen – call for details.



VS1000 Parts & Accessories



Mount Adapter Twin Socket style

Enables Pozimount or Xactmatch mounts etc to fit onto columns. Standard allen screw fixing. Fully height adjustable.

Order Code

PS2 110mm centres



Mount Adapter Poziclamp style

Enables Pozimount or Xactmatch mounts etc to fit onto columns. Choose where stands are repeatedly assembled, dismantled or screens adjusted in height.

PS2P 110mm centres



VESA Mount for direct column fitting

For direct fixing of screens with popular VESA sizes.

VESA fixing

VMSV 100 x 200 & 200 x 200

VMSV2 300 x 300 & 400 x 400



Video Conferencing Mounts

In addition to the standard unit illustrated we manufacturer a wide range of mounts for the ever changing world of Video Conferencing cameras.

Call us for latest availability.

VCM Shelf size 340w x 260d



Metal Shelves

For DVD players, PCs etc. Fully height adjustable.

Order Code

VP1 500w x 400d VP2

550w x 450d VP3 300w x 300d



Locking Cabinet

For DVD players, PC's etc. Fully height adjustable. Rear panel has access for mains and other cables.

VLC 550w x 150h x 400d



Glass Shelf

High quality 8mm shaped and fully edge polished toughened glass shelf conforms to EN12150.

Order Code

VGS 500w x 400d



Columns

2000VSX2

Chrome plate finish (pair)

Order Code Lenath 1500VSX2 1500

Brushed Stainless Steel (each)

2000

Order Code Lenath SS 1500 1500 SS 2000 2000



Standard Plinth Base

Stylish plinth base has resilient non-marking feet. Has safe clearance for any cables routed beneath.

Order Code

VSL 760w x 580d



VSX

Scimitar™ Freestanding Base

Base is supported on resilient feet which can be removed at any time to convert base into wheeled version.



Back-to-Back Plinth Base

Has centralised column sockets for 2-sided screen installations. Resilient non marking feet & clearance for cables routed beneath.

VSLBB 700w x 700d



870w x 600d

Scimitar™ Wheeled Base

Elegant curved design provides alternative to 'K' base. Has 10cm non marking rubber tyred wheels.



Twin Column **Bolt Down Base**

Compact design allows floor fixing using M10 fixings. These neatly recess into base and are concealed by trim caps supplied.

Order Code

VSF 400w x 300d



Original 'K' Base

Still preferred by many for its robust design. Has 10cm non marking rubber tyred wheels.











840 to 1280mm









Other Trolleys





The standard trolley in service with many schools & colleges. Has universal screen mount & equipment shelf. Conversion kit also available for existing trolleys.





3350

PowaLift Stands & Trolleys






Electronic control and PowaLift technology combine in this versatile unit.

Operated by hard wired switch, screens can be commanded to rise or descend smoothly through 500mm, stopping safely at any point.

These units serve many needs, from enabling young children or wheel chair users to interact with touch screens or making it possible to move from one location to another through doorways.

Trolley & Wall mounted options for screens and White Board with Projector mount versions available. Comes with screen mount and hard wired switch.

These products are **(€** approved and **DDA** compliant





386

1800

PowaLift Screen Trolley

Order Code

AVMT1 33" to 57"

AVMT2 58" to 70"





Typical Trolley shown with Universal STW projector mount and Smart Board mount.

PowaLift Screen Wall Mount

Order Code

AVMW1 33" to 57"

AVMW2 58" to 70"



PowaLift Projector Trolley

Order Code

AVPPT

Call for details



We need to know what projector and board you are using in order to provide the best solution.



AVMW drawing shown

- 200 -


(0 0)

PowaLift Accessories

Order Code

AVML Lap-top Arm


Lifestyle Range



Axia Lo-level Stand

This sleek flowing stand comes with a glass shelf and 4-way power socket. Height to centre screen 1000mm

AX10P













Azana Stand

Twin large glass shelves make this a perfect stand for home cinema systems.

Comes with 4-way power supply and cable management.

Universal mount to fit most screens included.

Height to centre screen 850mm

AZ1000










Table Stand

Order Code


PFT1 33" to 57" screens

PFT3 30" to 40" screens

PFL 58" to 70" screens









Tevella TV Stand

★ For up to 32" screens

* Cables can be routed through base and column

* Lectern style can be used for touch screen applications

★ Bolt down versions also available

* Height to centre of screen 100cm

Order Code

TVV1 Upright

TVL1 Lectern Style

LBP/1000/EPS Bolt Down Version









— Thin Mounting Solutions —

VERSUS THIN MOUNT RANGE

As screens become thinner and lighter it is only natural to have a mounting system that shows off the virtues of Direct and Edge Lit LED technology.

Introducing the Versus range of universal mounts

This new range of mounts uses the same tried and trusted methods of wall, stand or ceiling mounting but comes with its own adapters to fit to standard columns or stands. There are non-tilting and tilting versions available.

The non-tilting version is only 26mm deep from back plate to rear of screen, (tilting 40mm) and fits most popular VESA fixing centres 200, 300, 400 & 600 x 400.

Wall Mount

Order Code

VZXW1 Non-Tilting VZWW1 5 & 10 Tilt

Mount and Stand Adapter

Order Code

VZXV1 Non-Tilting VZWV1 5 & 10 Tilt

Mount and Ceiling Adapter

Order Code

VZXC1 Non-Tilting VZWC1 5 & 10 Tilt











EXCALIBUR ULTRA SLIM MOUNT



Ultra Slim Universal Wall Mount

- * only 7.5mm deep
- * for screens up to 57", weight 35Kg
- **★** VESA-Standards: 200x100 / 200x200 / 400x200 / 400x400 / 600x200 / 600x400


Order Code

UTM for screens up to 57"

(Note: Some thin screens have connectors on the rear preventing them from being mounted 7.5mm close to the wall using this mount).







Universal Flat Screen Mounts

Universal range of flat screen mounts



- * Industry standard quality product
- * Fully adjustable accommodates wide range of screen fixings including VESA
- * Use direct fixed to wall, also fits all stands, wall arms or ceiling mounts in our range
- * Universal screen fixing kit supplied
- * Versions in landscape and portrait
- * Supports up to 60kg
- * Inbuilt screen levelling



- * Security options
- * Basic non-tilt version also available

MOUNT SELECTOR – from the range below select the size & type of Pozimount for your screen. The differing versions are listed to ensure any mount selected is not larger and therefore visible behind screen (minimum screen sizes are shown)

Pozimount Type 1 (Our most popular mount)

For screens – typically from 42" to 57" VESA 200 x 200 to 600 x 400

Tilting Version

PZW1 Up to 57" screens

Non-Tilt Version

Order Code

PZX1 Up to 57" screens



Pozimount Portrait Type 6

(Standard portrait mount)

For screens - typically from 32" to 57" VESA 300 x 300 to 400 x 800

Non Tilt Version (only)

PPZX6 Up to 57" screens

Minimum screen size 540mm (w) x 870mm (h)



Pozimount Type 3 (Compact mount)

For screens – typically from 32" to 57" VESA 200 x 200 to 400 x 400

Tilting Version

Order Code

PZW3 Up to 57" screens

Non Tilt Version

Order Code

PZX3 Up to 57" screens



Minimum screen size 540mm (w) x 440mm (h)

Pozimount Portrait Type 7

(Large screen portrait mount)

For screens – typically from 50" to 70" VESA 300 x 300 to 600 x 800

Non Tilt Version (only)

PPZX7 Up to 70" screens

Minimum screen size 765mm (w) x 870mm (h)



Pozimount Type 5 (Large screen

For screens – typically from 50" to 70" VESA 300 x 300 to 800 x 400

Non Tilt Version (only)

Order Code

PZX5 Up to 70" screens

(For tilting version use Xactmatch type PLW)



Stainless Steel Pozimounts

We offer these mount versions to combat harsh environments.

Pozimount Type 1

SS PZX1

Pozimount Type 3

Order Code

SS PZX3





We also offer ceiling suspension versions of these mounts - Call us for details

Xactmatch Mount Range



Approved mounts which exactly match each screen listed

We offer a vast range of mounts covering all popular makes of screen. Use any of these mounts for direct wall fixing or in conjunction with our ceiling kits, wall arms or trolleys. Mounts come in landscape and portrait, flat, tilting and rotating.



Slimline Mount

Order Code

PLX1 Screens up to 57" landscape


PLX2 Screens 58" to 70" landscape

PLX3 Screens 71" to 90" landscape

PPX1 Screens up to 57" portrait

PPX2 Screens 58" to 70" portrait

State Plasma or LCD make & model





Tilting Mounts (Landscape)

Order Code

PLW1 Screens up to 57"

PLW2 Screens 58" to 70"

PLW3 Screens 71" to 90" **PLW4** Screens 91" to 108"


Tilting Mounts (Portrait)

Order Code

PPW1 Screens up to 57"


PPW3 Screens 71" to 90"

State Plasma or LCD make & model



Rota Mount

* Note: Product codes shown are for stand / trolley mounted versions. For wall mounted versions substitute
'T' in code with 'W'.



Rota-Mount

Allows smooth rotation from portrait to landscape and anywhere between. In-built safety stops at 0 - 90 degree. For stand and wall mounting.

Typically 15" to 32" screens

Order Code

RTMV1

RTMV1 VESA 200x100, 200x200

Typically 33" to 57" screens


Order Code

RTM9003 VESA 200x200, 300x300, 400x400 **RTM9004** VESA 600x300, 500x500, 600x400 **RTM9005** VESA 800x400, 700x300

*** RTMV1** requires a special PS1T when ceiling suspended – see Page 27.

RTM7 71" to 90" versions Call for details
RTM8 91" to 108" versions Call for details

State Plasma or LCD make & model



Avgang Departures

ADAPTA-WALL®

The revolutionary 'push to close - push to open' mount with security latching



Avgang Departures


- * Gentle 'Pop out' action allows screen to emerge clear of adjacent units for easy set-up and access.
- * Pull cord security latching feature prevents unauthorised 'Pop out' operation whenever required.
- * Accommodates widest range of screen fixings from 200 x 200 to 800 x 400mm VESA.
- * Easy screen adjustment in all planes
- **★** Integrates with our Adapt-Wall structure system for free-standing, ceiling or mobile applications.






Order Code **VWP**







ScreenTrac Universal Multi-Display System

A modular track system for linear mounting flat screens in any number. Ideal for Digital Menus & Telepresence.

There are 2 types available:

MD1U consisting 3 sizes of wall plates and various length arms from our Pozimount range. Wall plates lock together with our unique jig-saw interlock. This combination allows up & down and side to side adjustment.

MD2U consisting 3 sizes of wall plates and 2 sizes of arms from our Adaptawall range. Wall plates are deeper and are bolted together. This combination allows up & down, side to side and in/out adjustment.


Call us with your requirements.





See diagram on right to calculate the sizes of wall plates & arms:
Plates & arm lengths should be within

A & B. Where number of screens = no.

v = VESA fixing width. s = screen width $A = nb \times s$, $B = (nb \times s) - (s - v)$







Adaptawall Arms Adjustable (Pairs)


Non Tilting fully adjustable arms for use on Screentrac MD2U or Adaptawall mounting system. Can only be used on Pozimount back plates if **not** wall mounted.

Order Code

PZAA1 for Landscape **PZAA2** for Portrait

Adjustable 5mm up and down and 12mm in/out. Manual side to side adjustment on back plate.

(See opposite page for Adaptawall)



Screen Mount Trade Packs

Trade Packs for flatscreen suspension

These 'package priced' kits offer ease and convenience for specifiers and installers, combining the necessary ceiling plate, column & Universal tilting mount for a typical installation.

Three column lengths are listed to suit different ceiling heights. Trade Packs consist of Ceiling plate, Column & Mount(s).



Single Screen Kit (KP110CB shown)

* supports up to 60kg

Type 3 PZW (Page 16)

Order Code

KP310CB 1m, 200x200 to 500x400 VESA

KP320CB 2m, 200x200 to 500x400 VESA

KP330CB 3m, 200x200 to 500x400 VESA

Type 1 PZW (Page 16)

Order Code


KP110CB 1m, 200x200 to 600x400 VESA

KP120CB 2m, 200x200 to 600x400 VESA

KP130CB 3m, 200x200 to 600x400 VESA



Ceiling plate CP1











Twin back-to-back Screen Kit (KP110DB shown)

* supports up to 60kg (per screen)

2 x Type 3 PZW (Page 16)

Order Cod

KP310DB 1m, 200x200 to 500x400 VESA

KP320DB 2m, 200x200 to 500x400 VESA

KP330DB 3m, 200x200 to 500x400 VESA

2 x Type 1 PZW (Page 16)

Order Code


KP110DB 1m, 200x200 to 600x400 VESA

KP120DB 2m, 200x200 to 600x400 VESA

KP130DB 3m, 200x200 to 600x400 VESA



Ceiling plate CP2



Interactive Display Products



Small PC housings

Specialist Plasma / LCD mounts incorporating a housing for small form factor PC's. Power sockets can also be built in. These interface units can reduce installation time. Custom made and security locking versions also available.


Order Code

PCZW Universal Tilting

PCZX Universal non-Tilting

Inner dims of universal housing (WxDxH) in mm: 320x100x330





Typical custom made units shown above.
Please supply make and model of PC or unit to be housed.



Large Format Touch Screen Lecterns



PA3

Our large screen lecterns are designed to provide a rigid and stable platform specifically for touch screen use.

Associated electronics (small PC / cabling etc) can be concealed in the column support or in a purpose made housing beneath the display.



Interactive Meeting Room Signage

We manufacture housings for locating and securing all kinds of meeting room signage.

These are available surface mounted or flush fitting with cable entries to suit different requirements.

Custom versions, security options and wide colour choice available.

- Call us for details.

info@unicol.de www.unicol.de <u>21</u>


Floor to Ceiling & Gantry Systems



Floor to Ceiling Systems


We offer a wide range of options for mounting multiple screens or projectors ideal for any digital signage application. These can be floor to ceiling mounted with screens either flat or angled. Alternative single and double column base plates and ceiling plates are available.


Single column CP1 Ceiling Plate PS6U Screen adapter with holes for cabling PS3U Screen adapter FP1 Floor Plate FP8



Screen & Projector Gantries

We manufacture a range of specialist gantries, in-line, double, triple and quadruple. We also manufacture rear covers to hide cables and neaten appearance from the rear – see Page 34. – Call us for details.





In-Line Gantry

In addition to bespoke units we have a range of universal In-Line Gantries onto which sockets or pegs are fastened depending on your requirement.

Order Code

 DIG5001000
 500-1000

 DIG10001500
 1000-1500

 DIG15002000
 1500-2000

Order Code

MSS1 Bolt on socket
MSP1 Bolt on peg

Gantry requires socket or peg ordered separately





(Typical unit shown above State projector make & model)



Quad Gantry
(Typical unit shown above including)
CP9 (page 27)
2x 1000 (page 35)
1 x Quad display gantry
4x PS1 (page 27)
4x PLW1 (page 17)
(State screen make & model)

Small Screen Mount Range





Slim-line Wall Mount

- * for displays up to 21"
- * VESA 75x75 and 100x100

Order Code

LVC

Order Code STV1

STN





Tilt Mount

- **★** for displays up to 21"
- * VESA 75x75 and 100x100

Order Code LVA

Black Only





Tilt & Swivel Mount

- * for displays up to 21"
- * VESA 75x75 and 100x100

Order Code

LVB Black Only



Tilting Wall Mount

* for displays up to 32"

★ VESA 75x75, 100x100, 200x100

VESA up to 200x100

Non-VESA up to 25"







Clip-On Slim-line Wall Mount

Easy to use, fits most screens and has concealed security screw.

- * for displays up to 32"
- **★** VESA 75x75, 100x100, 200x100

SVC1 VESA up to 200x100 SDN Non-VESA up to 25"





Clip-On Slim-line Wall Mount

Easy to use, fits most screens and has concealed security screw.

- * for displays up to 32"
- **★** VESA 200x200

Order Code

SVC2 VESA only 200x200





Tilting Wall Mount

- * for displays up to 32"
- * VESA 200x200

STV2

VESA only 200x200



Suspension unit with swivel & tilt

Use with any Unicol ceiling or wall suspension equipment.

for displays up to 32"

Order Code

SCV1 VESA up to 200x100 SCN Non-VESA up to 25"





* for displays up to 32"

Order Code

SCV2 VESA only 200x200





Lectern style screen mount

For use with touch screens or in show room displays. Tilt angle fully adjustable.

- * for displays up to 32"
- **★** VESA 75x75, 100x100, 200x100

Order Code

SEV1 VESA up to 200x100 SEN Non-VESA up to 25"





Lectern style screen mount

For use with touch screens or in show room displays. Tilt angle fully adjustable.

- ★ for displays up to 32"
- **★** VESA 200x200

Order Code

SEV2 VESA only 200x200





VESA Adapter

- **★** VESA adapter for all Unicol stands
- **★** VESA 75x75, 100x100, 200x100 & 300x100

Order Code

C152V1075 200x100 **C302V1075** 200x100, 300x100

Wall Arms




Small version

For direct connection with any PSU (Projector Suspension Unit) or flatscreen TV mount. Arm 350mm to centre of peg.

Other length versions manufactured - Call us for details.

WB0 Peg **WB02** Socket





Standard version


For direct connection with any PSU (Projector Suspension Unit) or flatscreen TV mount. Arm length is 470mm to centre of peg.

Order Code

WB1 Peg



Other length versions manufactured - Call us for details.





Column suspension version


Useful where site conditions dictate wall bracket has to be fixed at a higher level than TV screen or projector. Use with any column length required.

Order Code

WB2 Socket







Other length versions manufactured - Call us for details.



Rotation


Double Swing Wall Mount

For TV screens up to 32inch (VESA 75x75, 100x100, 200x100; Non VESA also available). Folds to wall, 6cm including mount. Arm comes complete with tilting mount with fixing holes for screen. Has built in tilt adjustment and separate rotation to level screen.

Order Code

SSV VESA 100 x 200 SSN Non-VESA

EU Registered Design 000371679-0003



Arm full extension - 465mm


Single Swing Wall Mount

For TV screens up to 32inch (VESA 75x75, 100x100, 200x100; Non VESA also available). Arm comes complete with tilting mount with fixing holes for screen. Has built in tilt adjustment and separate rotation to level screen.

Order Code

SRV VESA 100 x 200 SRN Non-VESA

EU Registered Design 000371679-0001



Arm full extension – 260mm







Twin Double Swing Arm

- supports up to 60kg For screens up to 70inch. Has 520mm of reach. Engineered for strength and ease of use. Arms conceals behind screen when folded. Only 102mm when folded (plus mount).

Includes PZX5 Universal mount


Order Code

PLA2X5










150mm deep with mount attached




Double Swing Wall Mount

For screens up to 57inch. Engineered for strength and ease of use. Arm conceals behind screen when folded to wall. Only 147mm when folded (plus mount). Has built in tilt mechanism and rotation adjustment to level screen accurately in all positions.

PLA1X1 147mm folded PLA1X3 147mm folded

(680mm reach - Includes PZX Universal mount)

EU Registered Design 000371679-0004



Arm full extension – 680mm

Single Swing Wall Mount


For screens up to 57inch. Slim 110mm when folded flat (plus mount). Has built in tilt mechanism and rotation adjustment to level screen accurately in all positions.

Order Code

PLS1X1 110mm folded PLS1X3 110mm folded

(465mm reach - Includes PZX Universal mount)

EU Registered Design 000371679-0002



Arm full extension - 465mm

Installation Accessories



Standard Ceiling Plate

Use with any column length for suspension of projectors & single screens up to 57".

* plate holes 120 x 120mm

CP1



Tube Clamp

For suspending screens from lighting gantries, show stands or other structures. Screens up to 57".

Order Code

TM05 for 50mm tubes



Large Ceiling Plate

For long column or heavy installations typically up to 70" or twin 57" screens.

* holes 240 x 240mm

Order Code

CP2



Truss Clamp

For suspending screens from standard Truss.

up to 57"

- has cable entry port(s)

Order Code

CT1



Peg Ceiling Plate

For directly connecting projectors - useful in low ceiling applications.

* plate holes 120 x 120mm

Order Code

CP3



Girder Clamps

For girders 75 to 250mm & 350mm wide. Adjustable from level to extreme angles of tilt.

Order Code

GC25 250mm GC35 350mm

Wider span versions available



Anti-Vibration Ceiling Plate

Internal damping system provides floating action to reduce vibration from above.

* plate holes 120 x 185mm Order Code

CPAV1




Tilting Ceiling Plate

For sloping or 'out of level' installations. Projectors & single screens up to 57".

★ plate holes 120 x 120mm

Order Code

CP6



Pipe Clamps

Available in a wide range of sizes. Please state pipe diameter when ordering.

Typical mount for 75 - 300mm pipe shown.

TM530



Typical unit shown for pillar diameter of 600 - 625mm

Pillar Clamps

We manufacture these clamps in a wide range of sizes for circular pillars.

Order Code

VCC1 Single Arm

VCC2 Double Arm

(Triple-arm versions available - Call for details)



Column Coupler

To enable columns with 'through bolt' holes to be joined together for vertical suspension. Coupler conceals neatly within column.

Order Code

CC



Trim Disc


Gives a neat finish where columns pass through suspended ceilings. Order Code

TD1



Will blank any unwanted holes in ceiling tiles from 6mm to 60mm. Order Code

TDB1



Chrome finish StainlessSteel mm Order Code Order Code *500* SS 500 500 1000 SS 1000 1000 1500 SS 1500 1500 2000 SS 2000 2000 2500 2500 SS 2500 3000 SS 3000 3000 Safety 'through bolt' holes must be specified if used for suspension application



Safety Locking Ring

Necessary at the lower end of any ceiling suspension installation using column mounted components, where safety 'through bolts' are absent.

LR

Installation Accessories



Twin Ceiling Plates

For suspension of screens over 50" and floor to ceiling column installations using Floor Plates FP3 or FP8 (see below).

Order Code

CP8 Fits VS1000 range AP8 Fits AVECTA range



Swivel Twin Ceiling Plate

For suspension of screens over 50" using any column lenath.

★ 360° swivel

CP9



Single Column Adapters

Use in conjunction with Pozimount and Xactmatch mounts to position screens vertically on columns. Can also be used for fixing single columns to walls.

PS3U1 As illustrated, for screens 33"-70"

PS5TB Back-to-Back version



Twin Column Adapters

Use as single adapter but for twin column applications. Can also be used for fixing twin columns to walls.

Order Code

PS3V1 VS Range - 33" to 70" PS3A1 Avecta Range - 33" to 70"

PS8 VS - Back-to-Back version





Single Column Coupler

For mounting screens on two part columns.

Order Code

PS6U1 for screens - 33" to 70"



Twin Column Couplers

For mounting screens on two part columns.

Order Code

PS6V1 VS Range - 33" to 70"

PS6A1 Avecta Range - 33" to 70"



Single Suspension Adapters

Single column mount adapter for Pozimount and Xactmatch mounts when used for ceiling suspension.

* 360° swivel

Order Code

PS1 Single column - up to 70" PS1T

For Rota-Mount RTMV1



Twin Suspension Adapter

Twin column mount adapter for Pozimount and Xactmatch mounts when used for ceiling suspension.

PS12 Twin column - up to 70"



Back-to-Back Suspension Adapter

Single column mount adapter for Pozimount and Xactmatch mounts when used for ceiling suspension.

Order Code

PS5 up to 70"

Order the Back-to-Back Mount Adapter then add Ceilina Plate (or Girder Clamp etc) and column length required.



Twin Back-to-Back Suspension Adapter

We advise the use of Twin Column suspension for large / heavy back to back installations or screens which may be subject to stress or wind loads.

Order Code

PS4 up to 70"



Single Column **Bolt Down Base**

Compact design allows floor fixing using M10 fixings. These neatly recess into base and are concealed by trim caps supplied.

Order Code

ESF 390w x 250d




Twin Column Bolt Down Base

Compact design allows floor fixing using M10 fixings. These neatly recess into base and are concealed by trim caps supplied.

Order Code

VSF 400w x 300d



Floor to Ceiling Base Plates

In single or twin column versions for floor to ceiling installations. Columns locate securely over bushes to give neat appearance.

FP1 Use with CP1 (see page 26)

FP3 Use with AP8 (see above)

FP8 Use with CP8 (see above)



Custom Made Accessories

We offer a service in making all kinds of special or non-standard accessories - Call us when planning your next installation.







Gyrolock Projector Mounts



proven design



- * Projector locks into Trilock® docking system, using either our dedicated **Gyrolock Adapter Plates or universal** adapter
- * Tilt or turn adjustment through any angle for easy screen set up
- **★** Safety rated for projectors up to 20Kg ceiling /12Kg wall mounted

★ Telescopic – for use through suspended ceilings or in any high, low or normal headroom situation






Trilok® Docking System

Gyrolock Adapter Plate (GAP)



These products are the subject of UK and USA design rights. UK Registered Design 3011575. UK Trade Mark 2244062. US Patent 10/049390.





remain the same.

GKC/GAP

GKC/GAPU

* Order either with Gyrolock Adapter Plate (order code GAP- state make & model of projector) or Universal

version (order code GAPU) - prices

Universal Adapter Unit (GAPU)



adapter plate

GK2

High

ceiling

version

* includes

Order Code GK2/GAP GK2/GAPU

230 - 700 mm

GK3 High ceiling version





Order Code GKC/GAP GKC/GAPU

Order Code GK1/GAP **GK1/GAPU**

Gyrolock Projector Mounts

Gyrolock - the extended family

With the success of the original Gyrolock system the range has been progressively extended to include column mounted versions using standard Unicol components, compact or wall mounted versions for ultra short throw projectors and units which fit directly to lighting trusses. All these supplied in universal form.



Height Order Code **GKU1** 230 to 300mm **GKU2** 230 to 700mm **GKU3** 230 to 700mm



Gyrolock Compact

* easy installation

* fixed height



Order Code **GKUX**



3000 mm

Order Code Column Length KPR15CB 500 mm KPR110CB

1000 mm KPR120CB 2000 mm

KPR130CB



Gyrolock Universal for Truss

Quick release eye coupler fits most types of truss, 45 – 55mm.

Order Code **GKUT1**





Ultra Short Throw Projector **Universal Wall Mount**

There is a choice of arm lengths for ultra short throw projectors with different throw distances.

Order Code

STWU1 300 – 370mm arm

STWU2 345 - 685mm arm

STWU3 345 - 1320mm arm



Gyrolock Parts & Accessories



Adapter Plates

Enables changeover whenever replacing projector. State make & model when ordering.

GAP



EU Registered Design 00221072-0001

Universal Adapter Plate

Designed to fit most projectors.

Order Code **GAPU**





Trim Disc

Gives a neat finish to installations through suspended ceilings.

Order Code

TD1



Column Adapter

Requires Ceiling Plate and Column to complete unit.

Order Code

GKU4







The preferred method of projector mounting. All our PSU mounts are designed to align accurately with the projector mounting holes and take account of cooling or lamp access needs.

All PSU mounts are now available as micro adjustable versions having 2 axis, level & tilt. (See centre panel).

Order Code

PSU Standard direct fixing version **PSM** Micro-adjustable version



An alternative method of projector mounting, either to meet a projectors optical needs or to partly ruggedise projectors when used in 'location to location' or hire circumstances.


Micro Adjustment®

This 2 axis micro adjustment factory fitted option is available for most PSU units and provides a range of precision adjustment



We have a wealth of expertise in the design and manufacture of all kinds of projector suspension units to meet clients special requirements. These include mounts for downward or upward projection, multi-projector units, 3D rigs and one-off projects.

- Call us when planning your next installation



Our manufactured range now extends to over 600 PSU projector suspension units








30 www.unicol.de +49 (0) 9131 9405 800

Guardbox Security Cages

GUARDBOX®Anti-theft Enclosures

Constructed from heavy gauge steel and incorporating many innovative features. Five sizes are available covering a wide range of projectors. Each Guardbox incorporates our unique twin bar system, designed to fit into a number of slots for different projector lens positions. Each bar has another bar fitted inside making it virtually impossible to hacksaw through.



info@unicol.de www.unicol.de 31

SPECIAL PROJECTS

Our Special Products Division designs bespoke systems to solve the most difficult challenges.

We mostly use standard parts from our vast database but sometimes a new design is necessary to provide a cost effective solution that meets the customers requirement.

Special Projector Rigs

Alongside our standard range of projector mounts we also undertake specialist rigs for many applications including housings for different lenses, filter holders, twin and triple stack units and 3D rigs, (shown right).

These projects have to be programmed into our work flow and in some cases we require the projector into our factory. Please contact us for further details.





PROJECT EXAMPLES

Mobile Information Display System

What happens when you want to inform your customers of the current situation in a crisis?


This trolley has been designed and rolled out for such an event with 4 x 40" screens in portrait displaying information and one 40" screen in landscape displaying news or entertainment. Surveillance cameras and WiFi mounting points have also been added along with a large cabinet to house 2 x 10-way PDU's, Network Switch and associated cables for deployment. The unit can be electrically lowered from it's deployed height of 2.4m down to 1.9m (top of screen) for storage.

In-store Digital Signage Solution

The client wanted a sleek digital signage solution for their In-store window display that was sympathetic to their corporate colours and store design. The screen used was a Hi-brite 46" set mounted in portrait. The corporate style was white and stainless steel and the system had to display printed material to the inside of the store, which could easily be updated.

Because Hi-brite screens tend to run hotter and shop windows can be in hot sunlight it was decided to utilise the screens natural venting system rather than placing in an air conditioned box. This saved considerably on the cost of the mounting system. Stainless steel columns were used in a goal post configuration to keep the design slim, whilst providing a finishing trim for the sides of the screen. A rear cover was provided for a mag-strip printed poster. The screen bezel and rear covers were sprayed white.






Digital Window Display System

Traditional printed material and Mannequins are relatively easy to move around a window display but moving your dynamic signage on a 60" screen fixed to the ceiling along with the cabling will offer a daunting challenge – until now.

Not only did the screen have to move along the window from side to side but it also had to rotate from landscape to portrait. Unicol Special Products Division set to work and produced a roller track system that would support a variety of different sized screens with the ability to be moved across the window. The design included the desired rotation and also added swivel so that the screen could be angled for the best viewing position.







Rolling 175" Giant Touch Screen

The Unicol Adapta-Wall system was chosen to create a 4 x 3 Video Wall using 12 x 46" screens.

A custom built U-Touch panel was then fixed to the front to turn it into a giant touch screen. The client wanted the whole video wall to have the facility to be pushed backwards for cleaning and maintenance so a roller system was designed to take the place of the normal bolt down bases. This allowed the 4m wide and 2m high unit to be rolled back a distance of 770mm.



If you cannot see the part you require from our extensive range of products then please call us. On average we are currently producing 6 bespoke projects every week and have solved most AV mounting challenges but are more than willing to discuss a specification, quote for a new design and build a prototype.

Outdoor Housings & Protective Covers

Housings and Covers

We have a wide range of housings and covers including standard Outdoor Housings, designed with universal fittings. We also design and manufacture bespoke items and unless we already have the screen listed, we do require the particular screen into our factory for design and correct fitting. Bespoke items can also be branded with colour schemes and logos.



- ★ There is a dedicated charge for carriage on this item – call for details.
- ★ Stainless steel products and weather proof fastenings should be used with this product see Page 16 for our Stainless Steel range.
- * This is not a refrigeration unit, therefore in hot conditions consideration should be given to the performance of the screen used and positioning in direct sunlight should be avoided.

LCD Outdoor Housing

Aluminium light weight housings provide corrosion free powder coated finish for outdoor use. Units are IP53 rated and have 5mm thick clear anti-shatter screen protection. Units are made to measure to your screen size within the range listed below. If your screen has not been covered by us we will require it in our factory.

- * Circulating fans and heater fitted as standard
- * Replaceable dust filters fitted as standard
- * Can be supplied for wall or ceiling mounting
- * Back to Back versions available
- * Supports up to 60kg
- * Colour black

Anti-reflective screen – additional price

Order Code

ODH0 30" to 32" ODH1 33" to 57" ODH2 58" to 70"



ODH housings are screen specific. Please provide us with the Make and Model of your screen when orderina.



* Portrait versions also available - call for details.

Screen Protective Covers

5mm thick, clear, anti-shatter screen with a metal bezel provides a durable front cover for screens.

We can supply bespoke versions in branded colours including logos. Anti-reflective screens and portrait versions are also available.

Order Code

PCL0 15" to 32" PCL1 33" to 57" PCL2 58" to 71"

Anti-reflective screen – additional price





We design and manufacture rear screen covers to hide cables and neaten the appearance; they can either cover the whole rear or just cable routing areas.


Order Code

BCW1 Landscape 33" to 57" **BCW2** Landscape 58" to 71"


For cable or speaker covers please call us for price








Typical Cover shown - sizes vary according to screen



Security Devices Parts & Accessories



Screen Security Kit

Use this easily fitted Security Kit with any of our mounts.

The 2200mm tough steel cable system has special fittings which shield access to the screen fixing screws.

Order Code **PSK**



RemoGuard[™] Locking Remote Holders

RemoGuard units not only deter against the loss, theft or damage of remote controls but overcome the problem of hard wiring to control projectors or other AV equipment.

Simply fix the RemoGuard to any wall or other line of sight surface and the reflected IR beam projects horizontally to allow normal operation.

Order Code

RGHW Fits most Remote Control Units

RGH1W RGH1 version for larger remote's



Locking Ceiling Plate Cover

Shields the Ceiling Plate from unauthorised removal. To be used with CP1.

Order Code
CPSC1



Video Conferencing Wall Shelves

Standard platform unit for mounting on the wall. Available for specific Video Conferencing Units. – Call us for details.

Order Code

 WBVC
 340w x 260d - Metal

 WBVG
 size: 500 x 400 - Glass


 WBVG1
 size: 780 x 390 - Glass

Unicol Columns

Standard lengths in chrome and stainless steel

We also offer colour finishes

– Call us for details and
stainless steel columns.
(See panel below).



Standard Chrome Finish			Stainless
C	Order Code	Length	Length
1	16	410	410
4	500	500	500
2	24	610	610
3	3 <i>0</i>	760	760
3	36	900	900
1	1000	1000	1000
4	<i>45</i>	1140	1140
1	1500	1500	1500
2	2000	2000	2000
3	3000	3000	3000







C74 Set of 4



10cm Castors (Heavy Duty) (Braked castors – set of 4) Order Code BC10 Set of 4







Order Code **SC**



Hand Whee
Order Code
HW38F



Order Code **GS38F**



Touch-in Paint
Order Code

SPB Black SPS Silver



Drilling JigInstallers cutting and throbolt drilling jig for columns.
Order Code **CDJ1**



UNICOL Deutschland GmbH Willi-Grasser-Str. 15 D-91056 Erlangen +49(0)9131 9405 800 info@unicol.de www.unicol.de









